



Ataxia-pancytopenia syndrome

Ataxia-pancytopenia syndrome is a rare condition that affects the part of the brain that coordinates movement (the cerebellum) and blood-forming cells in the bone marrow. The age when signs and symptoms begin, the severity of the condition, and the rate at which it worsens all vary among affected individuals.

People with ataxia-pancytopenia syndrome have neurological problems associated with a loss of tissue (atrophy) and other changes in the cerebellum. These problems include poor coordination and balance (ataxia), difficulty with movements that involve judging distance or scale (dysmetria), uncontrollable muscle contractions (clonus), and involuntary back-and-forth eye movements (nystagmus). These neurological issues worsen over time, making walking and other movements challenging. Some affected individuals eventually require wheelchair assistance.

Ataxia-pancytopenia syndrome also causes a shortage of one or more types of normal blood cells: red blood cells, white blood cells, and platelets. A shortage of all three of these cell types is known as pancytopenia. Pancytopenia can result in extreme tiredness (fatigue) due to low numbers of red blood cells (anemia), frequent infections due to low numbers of white blood cells (neutropenia), and abnormal bleeding due to low numbers of platelets (thrombocytopenia). Ataxia-pancytopenia syndrome is also associated with an increased risk of certain cancerous conditions of the blood, particularly myelodysplastic syndrome and acute myeloid leukemia.

Frequency

Ataxia-pancytopenia syndrome appears to be very rare. At least 25 affected individuals from four families have been described in the medical literature.

Causes

Ataxia-pancytopenia syndrome is caused by inherited mutations in the *SAMD9L* gene. The protein produced from this gene is involved in regulating the growth and division (proliferation) and maturation (differentiation) of cells, particularly cells in the bone marrow that give rise to blood cells. Studies suggest that the *SAMD9L* protein acts as a tumor suppressor, keeping cells from growing and dividing too rapidly or in an uncontrolled way. The *SAMD9L* protein also appears to play an important role in the brain, particularly the cerebellum, although less is known about the protein's function there.

The mutations that cause ataxia-pancytopenia syndrome are described as "gain-of-function." They increase the *SAMD9L* protein's ability to block cell growth and division. In the bone marrow, the resulting reduction in cell proliferation leads to a shortage of red blood cells, white blood cells, and platelets. It is unclear how the effects of these

mutations are related to ataxia and the other neurological problems associated with ataxia-pancytopenia syndrome.

It seems paradoxical that gain-of-function mutations in the *SAMD9L* gene, which enhance the protein's tumor suppressor function, could increase the risk of developing cancerous conditions such as myelodysplastic syndrome and acute myeloid leukemia. It appears that certain cells in the bone marrow with an inherited gain-of-function *SAMD9L* gene mutation can develop additional genetic changes that are associated with milder pancytopenia but an increased cancer risk. These changes include mutations that disable the *SAMD9L* gene ("loss-of-function" mutations) or a deletion of part of the long (q) arm of chromosome 7 that contains the *SAMD9L* gene. These additional changes compensate for the effects of the gain-of-function mutation in bone marrow cells. They prevent an overactive SAMD9L protein from excessively restricting cell proliferation, which reduces the severity of pancytopenia in affected individuals. However, a loss of the *SAMD9L* gene and other genes on the long arm of chromosome 7 may allow cells to grow and divide uncontrollably, leading to cancer. A deletion of the long arm of chromosome 7 is a well-known risk factor for myelodysplastic syndrome and leukemia.

Inheritance Pattern

This condition is inherited in an autosomal dominant pattern, which means one copy of the altered gene in each cell is sufficient to cause the disorder. In all reported cases, an affected person has had one parent with the condition.

Other Names for This Condition

- ATXPC
- myelocerebellar disorder

Diagnosis & Management

Genetic Testing Information

- What is genetic testing?
[/primer/testing/genetic-testing](#)
- Genetic Testing Registry: Ataxia-pancytopenia syndrome
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C1327919/>

Other Diagnosis and Management Resources

- GeneReview: SAMD9L-Related Ataxia-Pancytopenia Syndrome
<https://www.ncbi.nlm.nih.gov/books/NBK435692>

Additional Information & Resources

Health Information from MedlinePlus

- Encyclopedia: Neutropenia - Infants
<https://medlineplus.gov/ency/article/007230.htm>
- Encyclopedia: Thrombocytopenia
<https://medlineplus.gov/ency/article/000586.htm>
- Health Topic: Anemia
<https://medlineplus.gov/anemia.html>
- Health Topic: Bone Marrow Diseases
<https://medlineplus.gov/bonemarrowdiseases.html>
- Health Topic: Cerebellar Disorders
<https://medlineplus.gov/cerebellardisorders.html>
- Health Topic: Leukemia
<https://medlineplus.gov/leukemia.html>
- Health Topic: Myelodysplastic Syndromes
<https://medlineplus.gov/myelodysplasticsyndromes.html>

Genetic and Rare Diseases Information Center

- Myelocerebellar disorder
<https://rarediseases.info.nih.gov/diseases/3865/myelocerebellar-disorder>

Additional NIH Resources

- National Cancer Institute: Inherited Bone Marrow Failure Syndrome Study (IBMFS)
<https://marrowfailure.cancer.gov/>
- National Cancer Institute: Leukemia
<https://www.cancer.gov/types/leukemia>
- National Cancer Institute: Myeloproliferative Neoplasms
<https://www.cancer.gov/types/myeloproliferative>
- National Institute of Neurological Disorders and Stroke: Ataxia Information Page
<https://www.ninds.nih.gov/Disorders/All-Disorders/Ataxias-and-Cerebellar-or-Spinocerebellar-Degeneration-Information-Page>

Educational Resources

- MalaCards: ataxia-pancytopenia syndrome
https://www.malacards.org/card/ataxia_pancytopenia_syndrome
- Orphanet: Ataxia-pancytopenia syndrome
https://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=2585
- St. Jude Children's Research Hospital: Pancytopenia
<https://www.stjude.org/disease/pancytopenia.html>

Patient Support and Advocacy Resources

- American Cancer Society: Leukemia
<https://www.cancer.org/cancer/leukemia.html>
- American Cancer Society: Myelodysplastic Syndromes
<https://www.cancer.org/cancer/myelodysplastic-syndrome.html>
- Aplastic Anemia and MDS International Foundation
<https://www.aamds.org/>
- Ataxia UK
<https://www.ataxia.org.uk/>
- National Ataxia Foundation
<https://ataxia.org/>
- The Leukemia & Lymphoma Society
<https://www.lls.org/>

Clinical Information from GeneReviews

- SAMD9L-Related Ataxia-Pancytopenia Syndrome
<https://www.ncbi.nlm.nih.gov/books/NBK435692>

Scientific Articles on PubMed

- PubMed
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28ataxia-pancytopenia%5BTIAB%5D%29+OR+%28%28ataxia%5BTIAB%5D%29+AND+%28pancytopenia%5BTIAB%5D%29+AND+%28monosomy+7%5BTIAB%5D%29%29+OR+%28myelocerebellar+disorder%5BTIAB%5D%29+AND+english%5Bla%5D+AND+human%5Bmh%5D>

Catalog of Genes and Diseases from OMIM

- ATAXIA-PANCYTOPENIA SYNDROME
<http://omim.org/entry/159550>
- MONOSOMY 7 OF BONE MARROW
<http://omim.org/entry/252270>

Medical Genetics Database from MedGen

- Ataxia-pancytopenia syndrome
<https://www.ncbi.nlm.nih.gov/medgen/230896>

Sources for This Summary

- Chen DH, Below JE, Shimamura A, Keel SB, Matsushita M, Wolff J, Sul Y, Bonkowski E, Castella M, Taniguchi T, Nickerson D, Papayannopoulou T, Bird TD, Raskind WH. Ataxia-Pancytopenia Syndrome Is Caused by Missense Mutations in SAMD9L. *Am J Hum Genet.* 2016 Jun 2;98(6):1146-58. doi: 10.1016/j.ajhg.2016.04.009.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/27259050>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4908176/>
- Li FP, Hecht F, Kaiser-McCaw B, Baranko PV, Potter NU. Ataxia-pancytopenia: syndrome of cerebellar ataxia, hypoplastic anemia, monosomy 7, and acute myelogenous leukemia. *Cancer Genet Cytogenet.* 1981 Nov;4(3):189-96.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/6947857>
- Li FP, Potter NU, Buchanan GR, Vawter G, Whang-Peng J, Rosen RB. A family with acute leukemia, hypoplastic anemia and cerebellar ataxia: association with bone marrow C-monosomy. *Am J Med.* 1978 Dec;65(6):933-40.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/283689>
- Tesi B, Davidsson J, Voss M, Rahikkala E, Holmes TD, Chiang SCC, Komulainen-Ebrahim J, Gorcenko S, Rundberg Nilsson A, Ripperger T, Kokkonen H, Bryder D, Fioretos T, Henter JI, Möttönen M, Niinimäki R, Nilsson L, Pronk CJ, Puschmann A, Qian H, Uusimaa J, Moilanen J, Tedgård U, Cammenga J, Bryceson YT. Gain-of-function SAMD9L mutations cause a syndrome of cytopenia, immunodeficiency, MDS, and neurological symptoms. *Blood.* 2017 Apr 20;129(16):2266-2279. doi: 10.1182/blood-2016-10-743302. Epub 2017 Feb 15.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/28202457>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5399482/>

Reprinted from Genetics Home Reference:

<https://ghr.nlm.nih.gov/condition/ataxia-pancytopenia-syndrome>

Reviewed: September 2017

Published: June 23, 2020

Lister Hill National Center for Biomedical Communications
U.S. National Library of Medicine
National Institutes of Health
Department of Health & Human Services